

C List of all Options

This index contains an alphabetical list of all options and keywords along with the functions in which they can be used. Click on the page number to jump to the description.

&

&name option list macro call in `fit_textflow()` 87

3D

3Dactivate in `create_annotation()` 189
3Ddata in `create_annotation()` 189
3Dinitialview in `create_annotation()` 189
3Dinteractive in `create_annotation()` 189
3Dshared in `create_annotation()` 189
3Dview in `create_action()` 182

A

acrobot suboption for `fontname` in `info_font()` 58
action
 in `begin/end_page_ext()` 40
 in `create_annotation()` 190
 in `create_bookmark()` 202
 in `create_field()` and `create_fieldgroup()` 198
 in `end_document()` 32
 in `process_pdi()` 171
actual suboption for `encoding` in `info_font()` 57
ActualText in `begin_item()` 219
addfitbox suboption for `wrap` in `fit_textflow()` 94
adjustmethod in `add/create_textflow()` 84
adjustpage
 in `fit_image/pdi_page()` 156
 in `fit_pdi_page()` 169
advancedlinebreak in `add/create_textflow()` 84
align in `fit/info_textline()` and `draw_path()` 107
alignchar in `fit/info_textline()` 107
alignment
 in `add/create_textflow()` 82
 in `create_annotation()` 190
 suboption for `leader` in `fit/info_textline()` and
 `add/create_textflow()` 76
alphachannelname in `load_image()` 152
alphaisshape in `create_gstate()` 211
Alt in `begin_item()` 219
angle keyword in `info_textline()` 80
angularunit suboption for `georeference` 213
annotation suboption for `targetpath` in
 `create_action()` 185
annotationtype in `add_table_cell()` 98
annotcolor in `create_annotation()` 190
antialias
 in `shading()` 147
 suboption for `shading` option of several
 functions 117

api

suboption for `encoding` in `info_font()` 57
 suboption for `fontname` in `info_font()` 58
area suboption for `fill` in `fit_table()` 101
areaunit suboption for `georeference` 213
arbbox in `begin/end_page_ext()` 40
artifacttype in `begin_item()` 219
ascender
 in `info_font()` 57
 in `load_font()` 51
 keyword in `info_textline()` 80
Attached in `begin_item()` 219
attachmentpassword in `begin_document()` 32
attachmentpoint in `draw_path()` 107
attachments in `begin/end_document()` 33
autocidfont in `load_font()` 51
autosubsetting in `load_font()` 51
autoxmp in `begin/end_document()` 33
avoidbreak in `add/create_textflow()` 84
avoidemptybegin in `add/create_textflow()` 83

B

background in `3dview()` 210
backgroundcolor in `create_field()` and
 `create_fieldgroup()` 198
basestate in `set_layer_dependency()` 46
BBox in `begin_item()` 219
begoptlistchar in `create_textflow()` 88
beziers suboption for `wrap` in `fit_textflow()` 94
bitreverse in `load_image()` 152
bleedbox in `begin/end_page_ext()` 40
blendmode in `create_gstate()` 121
blind
 in `fit_table()` 101
 in `fit_textflow()` 90
bordercolor in `create_field()` and
 `create_fieldgroup()` 198
borderstyle
 in `create_annotation()` 190
 in `create_field()` and `create_fieldgroup()` 198
borderwidth in several functions 115
bottom in `add_nameddest()` and suboption for
 destination in `create_action()`,
 `create_annotation()`, `create_bookmark()` and
 `begin/end_document()` 186

boundingbox
in shading() 147
keyword in info_image() 157
keyword in info_path() 134
keyword in info_pdi_page() 170
keyword in info_table() 103
keyword in info_textflow() 95
suboption for viewports option in begin/end_page_ext() 213

bounds suboption for georeference 213

boxes suboption for wrap in fit_textflow() 94

boxheight suboption for matchbox 111

boxlinecount keyword in info_textflow() 95

boxsize in various functions 107

boxwidth suboption for matchbox 111

bpc in load_image() 152

buttonlayout in create_field() and create_fieldgroup() 198

buttonstyle in create_field() and create_fieldgroup() 198

C

calccorder in create_field() and create_fieldgroup() 198

calloutline in create_annotation() 190

camera2world in create_3dview() 210

cameradistance in create_3dview() 210

canonicaldate in create_annotation() 182

capheight
in info_font() 57
in load_font() 51
keyword in info_textline() 80

caption in create_field() and create_fieldgroup() 198

captiondown in create_field() and create_fieldgroup() 198

captionoffset in create_annotation() 190

captionposition in create_annotation() 190

captionrollover in create_field() and create_fieldgroup() 198

cascadedflare in load_image() 152

centerwindow suboption for viewerpreferences in begin/end_document() 37

charclass in add/create_textflow() 85

charmapping in add/create_textflow() 86

charref in many functions 73

charspacing
in create_field() and create_fieldgroup() 198
in many functions 73

checkwordsplitting in add_table_cell() 98

children in set_layer_dependency() 46

cid in info_font() 56, 57

cidfont in info_font() 57

circles suboption for wrap in fit_textflow() 94

circular keyword in add_path_point() 132

classes for logging parameter 30

clip in draw_path() 134

clipping suboption for matchbox 111

clippingarea in open_pdi_page() 168

clippingpath keyword in info_image() 157

clippingpathname in load_image() 152

cloneboxes
in fit_pdi_page() 169
in open_pdi_page() 168

close
in add_path_point() 133
in draw_path() 134
suboption for textpath in fit_textline() 79

cloudy in create_annotation() 190

code in info_font() 56, 57

codepage in info_font() 57

codepagelist in info_font() 57

colorize in load_image() 152

colorized in begin_font() 60

colscalegroup in add_table_cell() 98

colspan in add_table_cell() 98

ColSpan in begin_item() 219

colwidth in add_table_cell() 98, 99

comb in create_field() and create_fieldgroup() 199

comment option list macro definition in fit_textflow() 85

commitonselect in create_field() and create_fieldgroup() 199

compatibility in begin_document() 33

components in load_image() 152

compress suboption for metadata 217

contents in create_annotation() 190

continuetextflow in add_table_cell() 98

control keyword in add_path_point() 132

convert in pcos_get_stream() 174

copy in create_pvf() 25

copyglobals in load_image() 152

coversheet suboption for portfolio in begin_document() 207

crease suboption for rendermode in create_3dview() 211

createdate in create_annotation() 190

createtfittext in fit_textflow() 90

createlastindent in fit_textflow() 90

creatematchboxes suboption for wrap in fit_textflow() 94

createpvf in begin_document() 33

creatertchtext in create_annotation() 191

createtrapbox suboption for matchbox 111

creatorinfo in define_layer() 44

cropbox in begin/end_page_ext() 40

currentvalue in create_field() and create_fieldgroup() 199

curve keyword in add_path_point() 132

custom in create_annotation() 191

D

dasharray
 in `add_path_point()` 132
 in `create_annotation()` 191
 in `create_field()` and `create_fieldgroup()` 199
 in many functions 73
 in `setdashpattern` 118
 in several functions 115
dashphase
 in `add_path_point()` 132
 in `setdashpattern` 118
 in several functions 115
debugshow in `fit_table()` 101
decorationabove
 in `fit/info_textline()` and `add/create_textflow()` 64
 in many functions 73
defaultcmyk in `begin/end_page_ext()` 40
defaultdir in `create_action()` 182
defaultgray in `begin/end_page_ext()` 40
defaultrgb in `begin/end_page_ext()` 40
defaultstate in `define_layer()` 44
defaultvalue in `create_field()` and
 `create_fieldgroup()` 199
defaultvariant in `set_layer_dependency()` 46
defaultview in `load_3d()` 209
depend in `set_layer_dependency()` 46
descender
 in `info_font()` 57
 in `load_font()` 51
 keyword in `info_textline()` 80
description
 in `add_portfolio_file()` 206
 in `add_portfolio_folder()` 204
 in `load_iccprofile()` 141
 suboption for attachments in `begin/end_document()` 33
destination
 in `begin/end_document()` 33
 in `create_action()` 182
 in `create_annotation()` 191
 in `create_bookmark()` 202
destname
 in `create_action()` 183
 in `create_annotation()` 191
 in `create_bookmark()` 202
 in `end_document()` 33
 suboption for targetpath in `create_action()` 185
direction suboption for viewerpreferences in
 `begin/end_document()` 37
disable
 for logging parameter 29
 suboption for `3DActivate` in
 `create_annotation()` 195
disablestate suboption for `3DActivate` in
 `create_annotation()` 195

display

 in `create_annotation()` 191

 in `create_field()` and `create_fieldgroup()` 199

displaydoctitle suboption for `viewerpreferences`

 in `begin/end_document()` 37

displaysystem suboption for `georeference` 213

domain

 in `shading()` 147

 suboption for shading option of several
 functions 117

doubleadapt suboption for `matchbox` 111

doubleoffset suboption for `matchbox` 111

down

 suboption for template in
 `create_annotation()` 194

dpi in many functions 107

drawbottom, **drawleft**, **drawright**, **drawtop**

 suboptions for `matchbox` 111

dropcorewidths in `load_font()` 51

duplex suboption for `viewerpreferences` in `begin/end_document()` 37

duration

 in `begin/end_page_ext()` 40

 in `create_action()` 183

E

E in `begin_item()` 219

editable in `create_field()` and `create_fieldgroup()`
 199

embedding in `load_font()` 51

embedprofile in `load_iccprofile()` 141

enable

 for logging parameter 29

 suboption for `3DActivate` in
 `create_annotation()` 195

enablestate suboption for `3DActivate` in
 `create_annotation()` 195

encoding

 in `info_font()` 57

 in `load_font()` 52

end

 suboption for `matchbox` 112

 suboption for shading option of several
 functions 117

endcolor suboption for shading option of several
 functions 117

endingstyles in `create_annotation()` 191

endoptlistchar in `create_textflow()` 88

endx, **endy** keywords in `info_textline()` 80

entire suboption for background in

`create_3dview()` 210

epsg suboption for the coords and displaycoords
 suboptions of `georeference` 214

errorpolicy parameter and option for various
 functions 27

escapesequence in many functions 73

exceedlimit suboption for `matchbox` 112

exchangefillcolors in `fit_textflow()` 90

exchangestrokecolors in `fit_textflow()` 90
exclude in `create_action()` 183
exists keyword in `info_matchbox()` 113
exportable in `create_field()` and
 `create_fieldgroup()` 199
exportmethod in `create_action()` 183
extendo, extend1 in `shading()` 147

F

facecolor suboption for `rendermode` in
 `create_3dview()` 211
fakebold in many functions 74
faked
 suboption for ascender in `info_font()` 57
 suboption for fontstyle in `info_font()` 58
fallbackfont in `info_font()` 57
fallbackfonts in `load_font()` 52
familyname
 in `begin_font()` 60
 in `info_font()` 57
feature in `info_font()` 58
featurelist in `info_font()` 58
features in many functions 75
fieldlist
 in `add_portfolio_file()` 206
 in `add_portfolio_folder()` 204
fieldname in `add_table_cell()` 98
fieldtype
 in `add_table_cell()` 98
 in `create_fieldgroup()` 199
filemode in `begin_document()` 33
filename
 for logging parameter 29
 in `create_action()` 183
 in `create_annotation()` 191
 suboption for attachments in `begin/end_document()` 33
 suboption for metadata 217
 suboption for reference in
 `begin_template_ext()`, `load_image()`, and
 `open_pdi_page()` 159
 suboption for search in `begin/end_document()` 35
filename keyword in `info_image()` 157
filenamehandling in `set_option()` 20
fileselect in `create_field()` and `create_fieldgroup()`
 199
fill
 in `draw_path()` 134
 in `fit_table()` 101

fillcolor

 in `add_path_point()` 132
 in `create_annotation()` 191
 in `create_field()` and `create_fieldgroup()` 199
 in many functions 74
 in several functions 115
 suboption for background in `create_3dview()`
 210
 suboption for leader in `fit/info_textline()` and
 `add/create_textflow()` 76
 suboption for leader in `fit_textline()` 78

fillrule

 in `add_path_point()` 132
 in several functions 115
 suboption for wrap in `fit_textflow()` 94

firstbodyrow

 keyword in `info_matchbox()` 113
 keyword in `info_table()` 103

firstdraw

in fit_table()

firstparalinecount keyword in `info_textflow()` 95
fitannotation in `add_table_cell()` 98
fitfield in `add_table_cell()` 98
fitimage in `add_table_cell()` 98
fitmethod

 in `create_field()` and `create_fieldgroup()` 199
 in `fit_textflow()` 91
 in various functions 107
 suboption for template in
 `create_annotation()` 194

fitpath

in add_table_cell()

fitpdipage

in add_table_cell()

fitscalex, fitscaley

 keywords in `info_image()` 157

 keywords in `info_pdi_page()` 170

fittext

keyword in info_textflow()

fittextflow

in add_table_cell()

fittextline

in add_table_cell()

fitwindow

 suboption for viewerpreferences in

`begin/end_document()` 37

fixedleading

in add/create_textflow()

fixedtextformat

in create_textflow()

flatness

 in `add_path_point()` 132

 in `create_gstate()` 121

 in several functions 115

flush

 in `begin_document()` 33

flush

 for logging parameter 29

font

 in `create_annotation()` 192

 in `create_field()` and `create_fieldgroup()` 200

 in many functions 74

 suboption for leader in `fit/info_textline()` and

`add/create_textflow()` 76

fontfile

 in `info_font()` 58

fontname
in info_font() 58
in load_font() 52

fontscale
in fit_textflow() 91
keyword in info_textflow() 95

fontsize
in create_annotation() 192
in create_field() and create_fieldgroup() 200
in many functions 74
suboption for ascender in info_font() 57
suboption for leader in fit/info_textline() and add/create_textflow() 76

fontstyle
in create_bookmark() 202
in info_font() 58
in load_font() 52

fonttype *in info_font()* 58

footer *in fit_table()* 102

full suboption for fontname in info_font() 58

G

georeference
in begin_template_ext() 158
in load_image() 152
suboption for viewports in begin/end_page_ext() 213

glyphcheck in many functions 73

glyphid *in info_font()* 56, 58

glyphname *in info_font()* 56, 58

group
in begin_page_ext() 40
in resume_page() 43
in set_layer_dependency() 47
option in add_nameddest() and suboption for destination option in create_action(), create_annotation(), create_bookmark() and begin/end_document() 186
suboption for labels in begin_document() 36

groups *in begin_document()* 33

gstate
in add_path_point() 132
in fit/info_textline() and add/create_textflow() 91
in fit_image/pdi_page() 156
in fit_pdi_page() 169
in fit_table() 102
in many graphics functions 115
in many text functions 74
in shading_pattern() 146
suboption for shadow in fit_textline() 78

H

header *in fit_table()* 102

height
in begin/end_page_ext() 40
in load_image() 152
keyword in info_image() 157
keyword in info_matchbox() 113
keyword in info_path() 134
keyword in info_pdi_page() 170
keyword in info_table() 103
keyword in info_textline() 80

hide *in create_action()* 183

hidemenuubar suboption for viewerpreferences in begin/end_document() 37

hidetoolbar suboption for viewerpreferences in begin/end_document() 37

hidewindowui suboption for viewerpreferences in begin/end_document() 37

highlight
in create_annotation() 192
in create_field() and create_fieldgroup() 200

honoringclippingpath *in load_image()* 152

horonICCprofile *in load_image()* 152

horboxgap keyword in info_table() 103

horizscaling in many functions 74

horshrink keyword in info_table() 103

horshrinklimit *in fit_table()* 102

hortabmethod *in add/create_textflow()* 83

hortabsize *in add/create_textflow()* 83

hostfont *in info_font()* 58

hypertextencoding
parameter and option for various functions 181
suboption for labels in begin/end_document() and label in begin/end_page_ext() 36
suboption for reference in begin_template_ext(), load_image(), and open_pdi_page() 159
suboption for viewports in begin/end_page_ext() 213

hypertextformat parameter and option for various functions 181

hyphenchar *in add/create_textflow()* 86

I

icccprofile
in load_image() 152
keyword in info_image() 157

icon *in create_field() and create_fieldgroup()* 200

icondown *in create_field() and create_fieldgroup()* 200

iconname
in begin_template_ext() 158
in create_annotation() 192
in load_image() and begin_template_ext() 152
in open_pdi_page() 168

iconrollover *in create_field() and create_fieldgroup()* 200

ignoreclippingpath in `fit_image/pdi_page()` 156
ignoremask in `load_image()` 152
ignoreorientation
 in `fit_image/pdi_page()` 156
 in `load_image()` 153
image in `add_table_cell()` 99
imagehandle in `load_image()` 153
imageheight keyword in `info_image()` 157
imagemask keyword in `info_image()` 157
imagetype keyword in `info_image()` 157
imagewidth keyword in `info_image()` 157
index
 in `begin_item()` 219
 in `create_bookmark()` 203
indextype suboption for `search` in `begin/end_document()` 35
infomode in `open_pdi_document()` 164
initialexportstate in `define_layer()` 44
initialprintstate in `define_layer()` 44
initialsubset in `load_font()` 53
initialview suboption for `portfolio` in
 `begin_document()` 207
initialviewstate in `define_layer()` 44
inittextstate in many functions 74
inline
 in `begin_item()` 219
 in `load_image()` 153
inmemory
 in `begin_document()` 34
 in `open_pdi_document()` 164
innerbox suboption for `matchbox` 112
inputencoding suboption for `metadata` 217
inputformat suboption for `metadata` 217
inreplyto in `create_annotation()` 192
intent in `define_layer()` 44
interiorcolor in `create_annotation()` 192
interpolate in `load_image()` 153
inversefill suboption for `wrap` in `fit_textflow()` 94
invert in `load_image()` 153
invisiblelayers in `set_layer_dependency()` 47
ismap in `create_action()` 183
italicangle
 in `info_font()` 58
 in many functions 74
itemname in `create_field()` and
 `create_fieldgroup()` 200
itemnamelist in `create_field()` and
 `create_fieldgroup()` 200
itemtextlist in `create_field()` and
 `create_fieldgroup()` 200

K

K in `load_image()` 153
keepfilter in `pcos_get_stream()` 174
keepfont in `load_font()` 53
keephandles in `delete_table()` 104

keepnative
 in `info_font()` 58
 in `load_font()` 53
keepxmp suboption for `metadata` 217
kerning in many functions 74
kerningpairs in `info_font()` 58
key
 suboption for `custom` in `create_annotation()`
 191
 suboption for `fieldlist` in
 `add_portfolio_folder()` and
 `add_portfolio_file()` 206
 suboption for `properties` in `begin_mc()` and
 `mc_point()` 221

L

label in `begin/end_page_ext()` 40
labels in `begin/end_document()` 34
lang in `begin_document()` 34
Lang in `begin_item()` 219
language
 in `define_layer()` 45
 in many functions 75
 suboption for `feature` in `info_font()` 58
lastalignment in `add/create_textflow()` 83
lastbodyrow keyword in `info_table()` 103
lastfont keyword in `info_textflow()` 95
lastfontsize keyword in `info_textflow()` 95
lastlinedist
 in `fit_textflow()` 91
 keyword in `info_textflow()` 95
lastmark keyword in `info_textflow()` 95
lastparalinecount keyword in `info_textflow()` 95
layer
 in `begin_template_ext()` 158
 in `create_annotation()` 192
 in `create_field()` and `create_fieldgroup()` 200
 in `load_image()` and `begin_template_ext()`
 153
 in `open_pdi_page()` 168
layerstate in `create_action()` 183
leader
 in `add/create_textflow()` 83
 in `fit/info_textline()` 78
leaderlength in `create_annotation()` 192
leaderoffset
 in `create_annotation()` 192
leading
 in `add/create_textflow()` 83
 keyword in `info_textflow()` 95
left option in `add_nameddest()` and suboption
 for `destination` in `create_action()`,
 `create_annotation()`, `create_bookmark()` and
 `begin/end_document()` 186
leftindent in `add/create_textflow()` 83
leftlinex, leftliney keywords in `info_textflow()` 95
lighting in `create_3dview()` 211

line
 in `create_annotation()` 192
 keyword in `add_path_point()` 132
 suboption for `stroke` in `fit_table()` 102
linearize in `begin_document()` 34
linearunit suboption for `georeference` 214
linecap
 in `add_path_point()` 132
 in `create_gstate()` 121
 in `load_font()` 53
 in several functions 116
linegap in `info_font()` 58
lineheight suboption for `wrap` in `fit_textflow()` 94
linejoin
 in `add_path_point()` 132
 in `create_gstate()` 121
 in several functions 116
linespreadlimit in `fit_textflow()` 91
linewidth
 in `add_path_point()` 132
 in `create_annotation()` 192
 in `create_field()` and `create_fieldgroup()` 200
 in `create_gstate()` 121
 in several functions 116
listmode in `set_layer_dependency()` 47
locale in `add/create_textflow()` 84
locked
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 200
lockedcontents in `create_annotation()` 193
lockmode in `create_field()` and
 `create_fieldgroup()` 200
logging in `set_option()` 21

M

macro option list macro definition in
 `fit_textflow()` 87
maingid in `info_font()` 58
mappoints suboption for `georeference` 214
mapsystem suboption for `georeference` 214
margin
 in `add_table_cell()` 99
 in various functions 107
 suboption for `matchbox` 112
marginbottom in `add_table_cell()` 99
marginleft in `add_table_cell()` 99
marginright in `add_table_cell()` 99
margintop in `add_table_cell()` 99
mark in `add/create_textflow()` 85
mask in `load_image()` 153
masked in `load_image()` 153
masterpassword in `begin_document()` 34
matchbox
 in `fit/info_textline()` and `add/create_textflow()` 85
 in various functions 108
 suboption for `createlastindent` in
 `fit_textflow()` 90

maxchar in `create_field()` and `create_fieldgroup()`
 200
maxcode in `info_font()` 58
maxlinelength keyword in `info_textflow()` 95
maxlines in `fit_textflow()` 91
maxliney keyword in `info_textflow()` 95
maxspacing in `add/create_textflow()` 84
mediabox in `begin/end_page_ext()` 41
menuname in `create_action()` 183
metadata 21
 in `begin/end_document()` 34
 in `begin/end_page_ext()` 41
 in `begin_template_ext()` 158
 in `load_font()` 53
 in `load_iccprofile()` 141
 in `load_image()` and `begin_template_ext()`
 153
 in `open_pdi_page()` 168
metricsfile in `info_font()` 58
mimetype
 in `add_portfolio_file()` 206
 in `create_annotation()` 193
 suboption for attachments in `begin/end_document()` 33
minfontsize in `fit_textflow()` 91, 108
minlinecount in `add/create_textflow()` 83
minlinelength keyword in `info_textflow()` 95
minliney keyword in `info_textflow()` 95
minrowheight in `add_table_cell()` 99
minspacing in `add/create_textflow()` 84
mirroringx, mirroringy
 keywords in `info_image()` 157
 keywords in `info_pdi_page()` 170
miterlimit
 in `add_path_point()` 132
 in `create_gstate()` 121
 in several functions 116
moddate in `begin/end_document()` 34
modeltree suboption for 3D activate in
 `create_annotation()` 195
monospace
 in `info_font()` 58
 in `load_font()` 53
move keyword in `add_path_point()` 132
movieposter in `create_annotation()` 193
multiline in `create_field()` and `create_fieldgroup()`
 200
multiselect in `create_field()` and
 `create_fieldgroup()` 200

N

N
 in `shading()` 147
 suboption for shading option of several
 functions 117

name

- in `add_path_point()` 133
- in `add_portfolio_file()` 206
- in `create_3dview()` 211
- in `create_annotation()` 193
- keyword in `info_matchbox()` 113
- suboption for attachments in `begin/end_document()` 33
- suboption for `codepage` in `info_font()` 57
- suboption for feature in `info_font()` 58
- suboption for `matchbox` 112
- suboption for `targetpath` in `create_action()` 185
- suboption for viewports in `begin/end_page_ext()` 213

namelist in `create_action()` 184

newwindow in `create_action()` 184

nextline in `add/create_textflow()` 85

nextparagraph in `add/create_textflow()` 85

nofitlimit in `add/create_textflow()` 84

nonfullscreensagemode suboption for viewerpreferences in `begin/end_document()` 37

normal suboption for template in `create_annotation()` 194

numcds in `info_font()` 58

numcopies suboption for viewerpreferences in `begin/end_document()` 37

numglyphs in `info_font()` 59

numpoints in `info_path()` 134

numusableglyphs in `info_font()` 59

numusedglyphs in `info_font()` 59

O

objectstreams in `begin_document()` 34

offset

- suboption for `shadow` in `fit_textline()` 78
- suboption for `wrap` in `fit_textflow()` 94

offsetbottom, offsetleft, offsetright, offsettop suboptions for `matchbox` 112

onpanel in `define_layer()` 45

opacity

- in `create_annotation()` 193
- suboption for `rendermode` in `create_3dview()` 211

opacityfill in `create_gstate()` 121

opacitystroke in `create_gstate()` 121

open

- in `create_annotation()` 193
- in `create_bookmark()` 203

openmode in `begin/end_document()` 34

openrect suboption for `matchbox` 112

operation in `create_action()` 184

OPI-1.3 in `load_image()` and `begin_template_ext()` 154

OPI-2.0 in `load_image()` and `begin_template_ext()` 154

optimize in `begin_document()` 35

optimizeinvisible in `load_font()` 53

orientate

- in `create_annotation()` 193
- in `create_field()` and `create_fieldgroup()` 200
- in `fit_textflow()` 92
- in various functions 108

origin keyword in `add_path_point()` 132

outlineformat in `info_font()` 59

overline in many functions 74

overprintfill in `create_gstate()` 121

overprintmode in `create_gstate()` 121

overprintstroke in `create_gstate()` 122

P

page

- in `load_image()` 154
- option in `add_nameddest()` and suboption for destination in `create_action()`, `create_annotation()`, `create_bookmark()` and `begin/end_document()` 186

pageelement in `define_layer()` 45

pageheight keyword in `info_pdi_page()` 170

pagelabel suboption for reference in `begin_template_ext()`, `load_image()`, and `open_pdi_page()` 159

pagelayout in `begin/end_document()` 35

pagenumber

- in `begin_page_ext()` 41
- in `resume_page()` 43
- suboption for labels in `begin/end_document()` and label in `begin/end_page_ext()` 36
- suboption for reference in `begin_template_ext()`, `load_image()`, and `open_pdi_page()` 159
- suboption for `targetpath` in `create_action()` 185

pages suboption for `separationinfo` in `begin/end_page_ext()` 41

pagewidth keyword in `info_pdi_page()` 170

parameters in `create_action()` 184

parent

- in `begin_item()` 220
- in `create_bookmark()` 203
- in `set_layer_dependency()` 47

parentname in `create_annotation()` 193

parindent in `add/create_textflow()` 83

passthrough

- in `load_image()` 154

password

- in `add_portfolio_file()` 206
- in `create_field()` and `create_fieldgroup()` 200
- in `open_pdi_document` 164

path

- in `add_table_cell()` 99
- suboption for `textpath` in `fit_textline()` 79

paths suboption for `wrap` in `fit_textflow()` 94

pdfa in `begin_document()` 35

pdfx in `begin_document()` 35
pdipage in `add_table_cell()` 99
pdiusebox
 in `open_pdi_page()` 168
 suboption for reference in
 `begin_template_ext()`, `load_image()`, and
 `open_pdi_page()` 159
permissions in `begin_document()` 35
perpendiculardir keyword in `info_textline()` 80
picktraybypdfsize suboption for
 viewerpreferences in `begin/end_document()`
 37
playmode in `create_annotation()` 193
polar in `add_path_point()` 133
polygons suboption for wrap in `fit_textflow()` 94
polylinelist in `create_annotation()` 193
popup in `create_annotation()` 193
position
 in `create_field()` and `create_fieldgroup()` 201
 in various functions 108
 suboption for template in
 `create_annotation()` 194
predefcmap in `info_font()` 59
prefix
 suboption for fieldlist in
 `add_portfolio_folder()` and
 `add_portfolio_file()` 206
 suboption for labels in `begin/end_document()` and label in `begin/end_page_ext()` 36
preserveradio in `create_action()` 184
printarea suboption for viewerpreferences in
 `begin/end_document()` 37
printclip suboption for viewerpreferences in
 `begin/end_document()` 37
printpagerange suboption for viewerpreferences
 in `begin/end_document()` 37
printscaling suboption for viewerpreferences in
 `begin/end_document()` 37
printsubtype in `define_layer()` 45
properties in `begin_mc()` and `mc_point()` 221
px, py
 in `info_path()` 134

R

ro, ri in `shading()` 147
radians in `add_path_point()` 133
readfeatures in `load_font()` 53
readkerning in `load_font()` 53
readonly
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 201
readshaping in `load_font()` 53
recordsize in `begin_document()` 35
rectangle keyword in `info_matchbox()` 113
reference
 in `begin_template_ext()` 158
 in `open_pdi_page()` 168

refpoint
 in `fill_*block()` 108, 134
relation suboption for targetpath in
 `create_action()` 185
relative in `add_path_point()` 133
remove for logging parameter 29
removeunused in `define_layer()` 45
rendercolor suboption for rendermode in
 `create_3dview()` 211
renderingintent
 in `create_gstate()` 122
 in `load_image()` 154
rendermode in `create_3dview()` 211
repair in `open_pdi_document` 165
repeatcontent in `add_table_cell()` 99
replacedchars in `info_textline()` 80
replacementchar
 in `info_font()` 59
 in `load_font()` 54
replyto in `create_annotation()` 193
required in `create_field()` and `create_fieldgroup()`
 201
requiredmode in `open_pdi_document` 165
resetfont in `add/create_textflow()` 85
resourcefile in `set_option()` 21
resx, resy keywords in `info_image()` 157
return
 in `add/create_textflow()` 85
 in `add_table_cell()` 99
returnatmark in `fit_textflow()` 92
returnreason
 keyword in `info_table()` 103
 keyword in `info_textflow()` 95
rewind
 in `fit_table()` 102
 in `fit_textflow()` 92
richtext in `create_field()` and `create_fieldgroup()`
 201
right option in `add_nameddest()` and suboption
 for destination in `create_action()`,
 `create_annotation()`, `create_bookmark()` and
 `begin/end_document()` 186
rightindent
 in `add/create_textflow()` 83
 suboption for createlastindent in
 `fit_textflow()` 90
rightlinex, rightliney keywords in `info_textflow()`
 95
rollover
 suboption for template in
 `create_annotation()` 194
rotate
 in `begin/end_page_ext()` 41
 in `create_annotation()` 193
 in `fit_textflow()` 92
 in various functions 108
 keyword in `info_pdi_page()` 170
 suboption for textpath in `fit_textline()` 79

round

- in add_path_point()* 133
- in draw_path()* 134
- suboption for matchbox* 112
 - suboption for textpath in fit_textline()* 79
- rowcount*** keyword in *info_table()* 103
- rowheight*** in *add_table_cell()* 99
- rowjoingroup*** in *add_table_cell()* 100
- rowscalegroup*** in *add_table_cell()* 99
- rowspan*** in *add_table_cell()* 100
- RowSpan*** in *begin_item()* 220
- rowsplit*** keyword in *info_table()* 103
- ruler*** in *add/create_textflow()* 83

S***scale***

- in various functions* 108
- suboption for textpath in fit_textline()* 79

scalex, scaley keywords in *info_textline()* 80

schema suboption for portfolio in *begin_document()* 207

Scope in *begin_item()* 220

script

- in create_action()* 184
- in load_3d()* 209
- in many functions* 75
- suboption for feature in info_font()* 58

scriptname in *create_action()* 184

scrollable in *create_field()* and *create_fieldgroup()* 201

search in *begin/end_document()* 35

searchpath in *set_option()* 21

separationinfo in *begin_page_ext()* 41

shading in several functions 116

shadow in *fit/info_textline()* 78

shaping in many functions 75

shapingsupport in *info_font()* 59

showborder

- in fit_textflow()* 92
- in various functions* 109

showcaption in *create_annotation()* 194

showcells in *fit_table()* 102

showcontrols in *create_annotation()* 194

showgrid in *fit_table()* 102

showtabs in *fit_textflow()* 92

shrinklimit

- in add/create_textflow()* 84
- in various functions* 109

shutdownstrategy in *set_option()* 21

singfont in *info_font()* 59

smoothness in *create_gstate()* 122

softmask in *create_gstate()* 122

sort suboption for portfolio in *begin_document()* 207

sorted in *create_field()* and *create_fieldgroup()* 201

soundvolume in *create_annotation()* 194

space in *add/create_textflow()* 85

spellcheck* in *create_field()* and *create_fieldgroup()* 201**split***

keyword in info_textflow() 95

suboption for portfolio in begin_document() 207

spotcolor suboption for *separationinfo* in *begin/end_page_ext()* 41

spotname suboption for *separationinfo* in *begin/end_page_ext()* 41

spreadlimit in *add/create_textflow()* 85

stamp

in fit/info_textline() 78

in fit_textflow() 92

standardfont in *info_font()* 59

start

suboption for labels in begin/end_document() and label in begin/end_page_ext() 36

suboption for shading option of several functions 117

startcolor in *shading()* 147

startoffset suboption for *textpath in fit_textline()* 79

startx, starty keywords in *info_textline()* 80

stretch in *begin_font()* 60

strikeout in many functions 74

stringlimit for logging parameter 29

strips keyword in *info_image()* 157

stroke

in draw_path() 134

in fit_table() 102

strokeadjust in *create_gstate()* 122

strokecolor

in add_path_point() 132

in create_field() and create_fieldgroup() 201

in many functions 74

in several functions 116

strokewidth in many functions 74

strongref suboption for reference in *begin_template_ext() and open_pdi_page()* 159

style suboption for labels in *begin/end_document() and label in begin/end_page_ext()* 36

subject in *create_annotation()* 194

submitemptyfields in *create_action()* 184

submitname in *create_field() and create_fieldgroup()* 201

subpaths

in draw_path() 134

suboption for textpath in fit_textline() 79

subsetlimit in *load_font()* 54

subsetminsize in *load_font()* 54

subsetting in *load_font()* 54

Subtype in *begin_item()* 220

supplement in *info_font()* 59

symbolfont in *info_font()* 59